



Safety data sheet

Exterior Wood Oil Exclusive

1. Identification of the substance/preparation and of the company/undertaking

Prepared on: 19-11-2008/ LFH	Distributor: WOODCARE DENMARK A/S Havnevej 17 9560 Hadsund
Product use Exterior Wood Oil	Tel:99585600 Fax:99585634 Emergency telephone number: +45 99585600 The emergency telephone is open between 8 a.m. and 4 p.m. on workdays. Contact person:Simon Greve Email: info@ttwoodcare.com

2. Hazards identification

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Additional information Persons with a known allergy to Propiconazole or cobalt(2+) salts may exhibit an allergic response to the product.

3. Composition/information on ingredients

Einecs no.	CAS No.	Substances	Classification	w/w%	
259-627-5	55406-53-6	3-iodo-2-propynyl butylcarbamate	Xn;R20/22- R41 N;R50	<0,2	-
262-104-4	60207-90-1	Propiconazole	Xn;R22 R43 N;R50/53	<0,5	-
265-185-4	64742-82-1-c 68409-81-4-a	Naphtha (petroleum), hydrodesulfurized heavy Fatty acids, C9-19-branched, cobalt(2+) salts	R10 Xn;R65 R66 R67 N; R51/53 Xi;R38,R43	<0,2 <0,7	4 -

4) R65 is not applicable due to the high viscosity of the product.
Please see section 16 for the full text of the R-phrases

4. First aid measures

Inhalation Seek fresh air.
Ingestion Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.
Skin Wash skin with soap and water.
Eyes Rinse immediately with water (preferably using eye wash) for at least 5 minutes. Open eyes wide. Remove any contact lenses.
Other information When obtaining medical advice, show the safety data sheet or label. Symptoms: See section 11.

5. Fire-fighting measures

Extinguish with powder, foam, carbon dioxide or water mist. Do not use water stream, as it may spread the fire. Use water or water mist to cool non-ignited stock. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases – seek fresh air.

6. Accidental release measures

Prevent spillage from entering drains and/or surface water.

7. Handling and storage

Handling

See section 8 for information about precautions for use and personal protective equipment.

Storage

There are no special storage requirements but the product should be stored safely, out of reach of children and not together with food, animal feeding stuffs, medicines, etc.

8. Exposure controls/ personal protection

Precautions for use

Use the product under well-ventilated conditions.

Respiratory protection

Not required.

Gloves and protective clothing

Wear protective gloves made of nitrile rubber,

Eye protection

Wear safety goggles if there is a risk of eye splash.

Occupational exposure limits

Contains no substances subject to reporting requirements.

9. Physical and chemical properties

State: Liquid

Density: - g/ml 1

10. Stability and reactivity

The product is stable when used in accordance with the supplier's directions.

11. Toxicological information

Acute

Inhalation

Inhalation of vapours may cause irritation to the upper airways.

Ingestion

Ingestion may cause discomfort.

Skin contact

Irritating to skin – may cause reddening.

Eye contact

May cause eye irritation.

Risk of sensitization

The product contains small quantities of Propiconazole or cobalt(2+) salts. Persons with stated allergy may react to the product.

Long-term effects

None known.

12. Ecological information

Do not discharge large quantities of concentrated spills and residue into drains.

13. Disposal considerations

Collect spills and waste in closed and sealed containers and send to the local disposal facility for chemical waste.

14. Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR and IMDG.

15. Regulatory information

Hazard designation:

R-phrases

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. (R52/53)

Other labelling

Contains Propiconazole and cobalt(2+) salts. May produce an allergic reaction.

Volatile organic compounds (VOC):

This product contains a maximum of 70 g VOC/L. The limit value is 150 g VOC/L (cat. A/-)

Chemical safety assessment

Chemical safety assessment has not been performed.

16. Other information

Restrictions on use

None.

Training requirement

No special training is required, but a thorough knowledge of this safety data sheet should be a prerequisite condition.

Sources used

Other information

This safety data sheet was prepared from information provided by the supplier about physical/chemical properties and all ingredients in the product.

Full text of the R-phrases that are stated in section 3.

R10 Flammable.

R20/22 Harmful by inhalation and if swallowed.

R22 Harmful if swallowed.

R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: May cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.